




125A Vertical Stack  
Lighting & Power  
MCB Distribution Boards

## STANDARD METER OPTION



STANDARD METER OPTION								
TOP BOARD								
	4 Way	6 Way	8 Way	12 Way	16 Way	20 Way	24 Way	
BOTTOM BOARD	4 Way	18LPV0404S Height: 1223mm	18LPV0604S Height: 1303mm	18LPV0804S Height: 1383mm	18LPV1204S Height: 1548mm	18LPV1604S Height: 1628mm	18LPV2004S Height: 1733mm	18LPV2404S Height: 1873mm
	6 Way	18LPV0406S Height: 1303mm	18LPV0606S Height: 1383mm	18LPV0806S Height: 1463mm	18LPV1206S Height: 1628mm	18LPV1606S Height: 1708mm	18LPV2006S Height: 1813mm	18LPV2406S Height: 1953mm
	8 Way	18LPV0408S Height: 1383mm	18LPV0608S Height: 1463mm	18LPV0808S Height: 1543mm	18LPV1208S Height: 1708mm	18LPV1608S Height: 1788mm	18LPV2008S Height: 1893mm	18LPV2408S Height: 2033mm
	12 Way	18LPV0412S Height: 1548mm	18LPV0612S Height: 1628mm	18LPV0812S Height: 1708mm	18LPV1212S Height: 1873mm	18LPV1612S Height: 1953mm	18LPV2012S Height: 2058mm	18LPV2412S Height: 2198mm
	16 Way	18LPV0416S Height: 1628mm	18LPV0616S Height: 1708mm	18LPV0816S Height: 1788mm	18LPV1216S Height: 1953mm	18LPV1616S Height: 2033mm	18LPV2016S Height: 2138mm	-
	20 Way	18LPV0420S Height: 1733mm	18LPV0620S Height: 1813mm	18LPV0820S Height: 1893mm	18LPV1220S Height: 2058mm	18LPV1620S Height: 2138mm	-	-
	24 Way	18LPV0424S Height: 1873mm	18LPV0624S Height: 1953mm	18LPV0824S Height: 2033mm	18LPV1224S Height: 2198mm	-	-	-

All Boards - Width: 430mm, Depth: 155mm


### Specification

- Pre-assembled solution.
- Isolation of Individual sections or total board.
- Fully rated 125A top Distribution Board.
- Separate Lighting & Power meter readings through one dual channel meter.
- Part L2 compliant.
- Designed & manufactured in the UK, in accordance with BS EN 61439-3.



One dual channel standard meter (via two separate block CTs) for separate lighting and power readings

## MID METER OPTION




MID METER OPTION								
TOP BOARD								
	4 Way	6 Way	8 Way	12 Way	16 Way	20 Way	24 Way	
BOTTOM BOARD	4 Way	18LPV0404M Height: 1223mm	18LPV0604M Height: 1303mm	18LPV0804M Height: 1383mm	18LPV1204M Height: 1548mm	18LPV1604M Height: 1628mm	18LPV2004M Height: 1733mm	18LPV2404M Height: 1873mm
	6 Way	18LPV0406M Height: 1303mm	18LPV0606M Height: 1383mm	18LPV0806M Height: 1463mm	18LPV1206M Height: 1628mm	18LPV1606M Height: 1708mm	18LPV2006M Height: 1813mm	18LPV2406M Height: 1953mm
	8 Way	18LPV0408M Height: 1383mm	18LPV0608M Height: 1463mm	18LPV0808M Height: 1543mm	18LPV1208M Height: 1708mm	18LPV1608M Height: 1788mm	18LPV2008M Height: 1893mm	18LPV2408M Height: 2033mm
	12 Way	18LPV0412M Height: 1548mm	18LPV0612M Height: 1628mm	18LPV0812M Height: 1708mm	18LPV1212M Height: 1873mm	18LPV1612M Height: 1953mm	18LPV2012M Height: 2058mm	18LPV2412M Height: 2198mm
	16 Way	18LPV0416M Height: 1628mm	18LPV0616M Height: 1708mm	18LPV0816M Height: 1788mm	18LPV1216M Height: 1953mm	18LPV1616M Height: 2033mm	18LPV2016M Height: 2138mm	-
	20 Way	18LPV0420M Height: 1733mm	18LPV0620M Height: 1813mm	18LPV0820M Height: 1893mm	18LPV1220M Height: 2058mm	18LPV1620M Height: 2138mm	-	-
	24 Way	18LPV0424M Height: 1873mm	18LPV0624M Height: 1953mm	18LPV0824M Height: 2033mm	18LPV1224M Height: 2198mm	-	-	-

All Boards - Width: 430mm, Depth: 155mm

### Specification

- Pre-assembled solution.
- Isolation of Individual sections or total board.
- Fully rated 125A top Distribution Board.
- Separate Lighting & Power readings through separate MID meters.
- Part L2 compliant.
- Designed & manufactured in the UK, in accordance with BS EN 61439-3.
- MID = Measurement Instrument Directive Certified.



Separate MID meters (and separate CTs) for Top & Bottom boards, for separate lighting and power readings



**ELECTRIUM SALES LIMITED  
A SIEMENS COMPANY**

Commercial Centre, Lakeside Plaza,  
Walkmill Lane, Bridgtown,  
Cannock WS11 0XE.  
eMail: [info@electrium.co.uk](mailto:info@electrium.co.uk)

[www.electrium.co.uk](http://www.electrium.co.uk)

**UK SALES**

Telephone: 01543 455010  
Facsimile: 01543 455011  
eMail: [crabtree.sales@electrium.co.uk](mailto:crabtree.sales@electrium.co.uk)

**FACTORY BUILT ASSEMBLIES**

Telephone: 0161 998 5454  
eMail: [estimating@electrium.co.uk](mailto:estimating@electrium.co.uk)

**TECHNICAL**

Telephone: 01543 438310  
Facsimile: 01543 438311  
eMail: [crabtree.technical@electrium.co.uk](mailto:crabtree.technical@electrium.co.uk)

**EXPORT SALES**

Telephone: +44 1543 455049  
Facsimile: +44 1543 455048  
eMail: [export@electrium.co.uk](mailto:export@electrium.co.uk)

**DUBAI OFFICE**

Telephone: +971 4 3660684  
Facsimile: +971 4 3660676  
eMail: [export@electrium.co.uk](mailto:export@electrium.co.uk)



[@ElectriumNews](https://twitter.com/ElectriumNews) or download the APP

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Latest details can be obtained from Crabtree.

Publication No. B2534 5/19  
Printed in England.